

The Amendment of Standards for Specification, Scope, Application and Limitation of Food Additives

DOH Food No.0991300946, April 28, 2010

Appendix: Standards for Scope, Application and Limitation of Food Additives

04. Bleaching Agents

| Code | Food Additive Items | Scope and Application Standards | Limitations |
|-------|---------------------|---|-------------|
| 04001 | Potassium Sulfite | <ol style="list-style-type: none"> 1. Dried day lily: not more than 4.0 g/kg calculated as residual SO₂ . 2. Dried apricot: not more than 2.0 g/kg calculated as residual SO₂. 3. Golden raisin: not more than 1.5 g/kg calculated as residual SO₂. 4. Gelatin, dried vegetables, other dried fruits: not more than 0.50 g/kg calculated as residual SO₂. 5. Molasses, starch syrups: not more than 0.30 g/kg calculated as residual SO₂ . 6. Edible cassava starch: not more than 0.15 g/kg calculated as residual SO₂. 7. Syrup-preserved fruits, shrimps, shellfish: not more than 0.10 g/kg calculated as residual SO₂ . 8. <u>Konjac: the raw materials for non-direct consumption, not more than 0.90 g/kg calculated as residual SO₂; the products for direct consumption, not more than 0.030 g/kg calculated as residual SO₂.</u> 9. Other processed foods except beverages (fruit juice excluded), wheat flour, and its products (baked products excluded): not more than 0.030 g/kg calculated as residual SO₂. | |
| 04002 | Sodium Sulfite | <ol style="list-style-type: none"> 1. Dried day lily: not more than 4.0 g/kg calculated as residual SO₂ . 2. Dried apricot: not more than 2.0 g/kg calculated as residual SO₂. | |

| | | | |
|-------|---------------------------|--|--|
| | | <p>3. Golden raisin: not more than 1.5 g/kg calculated as residual SO₂.</p> <p>4. Gelatin, dried vegetables, other dried fruits: not more than 0.50 g/kg calculated as residual SO₂.</p> <p>5. Molasses, starch syrups: not more than 0.30 g/kg calculated as residual SO₂ .</p> <p>6. Edible cassava starch: not more than 0.15 g/kg calculated as residual SO₂.</p> <p>7. Syrup-preserved fruits, shrimps, shellfish: not more than 0.10 g/kg calculated as residual SO₂ .</p> <p>8. <u>Konjac: the raw materials for non-direct consumption, not more than 0.90 g/kg calculated as residual SO₂; the products for direct consumption, not more than 0.030 g/kg calculated as residual SO₂.</u></p> <p>9. Other processed foods except beverages (fruit juice excluded), wheat flour, and its products (baked products excluded): not more than 0.030 g/kg calculated as residual SO₂.</p> | |
| 04003 | Sodium Sulfite(Anhydrous) | <p>1. Dried day lily: not more than 4.0 g/kg calculated as residual SO₂ .</p> <p>2. Dried apricot: not more than 2.0 g/kg calculated as residual SO₂.</p> <p>3. Golden raisin: not more than 1.5 g/kg calculated as residual SO₂.</p> <p>4. Gelatin, dried vegetables, other dried fruits: not more than 0.50 g/kg calculated as residual SO₂.</p> <p>5. Molasses, starch syrups: not more than 0.30 g/kg calculated as residual SO₂ .</p> <p>6. Edible cassava starch: not more than 0.15 g/kg calculated as residual SO₂.</p> <p>7. Syrup-preserved fruits, shrimps, shellfish: not more than 0.10 g/kg calculated as residual SO₂ .</p> <p>8. <u>Konjac: the raw materials for non-direct consumption, not more than 0.90 g/kg calculated</u></p> | |

| | | | |
|-------|---------------------|--|--|
| | | <p><u>as residual SO₂; the products for direct consumption, not more than 0.030 g/kg calculated as residual SO₂.</u></p> <p>9. Other processed foods except beverages (fruit juice excluded), wheat flour, and its products (baked products excluded): not more than 0.030 g/kg calculated as residual SO₂.</p> | |
| 04004 | Sodium Bisulfite | <p>1. Dried day lily: not more than 4.0 g/kg calculated as residual SO₂ .</p> <p>2. Dried apricot: not more than 2.0 g/kg calculated as residual SO₂.</p> <p>3. Golden raisin: not more than 1.5 g/kg calculated as residual SO₂.</p> <p>4. Gelatin, dried vegetables, other dried fruits: not more than 0.50 g/kg calculated as residual SO₂.</p> <p>5. Molasses, starch syrups: not more than 0.30 g/kg calculated as residual SO₂ .</p> <p>6. Edible cassava starch: not more than 0.15 g/kg calculated as residual SO₂.</p> <p>7. Syrup-preserved fruits, shrimps, shellfish: not more than 0.10 g/kg calculated as residual SO₂ .</p> <p>8. <u>Konjac: the raw materials for non-direct consumption, not more than 0.90 g/kg calculated as residual SO₂; the products for direct consumption, not more than 0.030 g/kg calculated as residual SO₂.</u></p> <p>9. Other processed foods except beverages (fruit juice excluded), wheat flour, and its products (baked products excluded): not more than 0.030 g/kg calculated as residual SO₂.</p> | |
| 04005 | Sodium Hydrosulfite | <p>1. Dried day lily: not more than 4.0 g/kg calculated as residual SO₂ .</p> <p>2. Dried apricot: not more than 2.0 g/kg calculated as residual SO₂.</p> <p>3. Golden raisin: not more than 1.5 g/kg calculated</p> | |

| | | | |
|-------|-------------------------|--|--|
| | | <p>as residual SO₂.</p> <p>4. Gelatin, dried vegetables, other dried fruits: not more than 0.50 g/kg calculated as residual SO₂.</p> <p>5. Molasses, starch syrups: not more than 0.30 g/kg calculated as residual SO₂ .</p> <p>6. Edible cassava starch: not more than 0.15 g/kg calculated as residual SO₂.</p> <p>7. Syrup-preserved fruits, shrimps, shellfish: not more than 0.10 g/kg calculated as residual SO₂ .</p> <p>8. <u>Konjac: the raw materials for non-direct consumption, not more than 0.90 g/kg calculated as residual SO₂; the products for direct consumption, not more than 0.030 g/kg calculated as residual SO₂.</u></p> <p>9. Other processed foods except beverages (fruit juice excluded), wheat flour, and its products (baked products excluded): not more than 0.030 g/kg calculated as residual SO₂.</p> | |
| 04006 | Potassium Metabisulfite | <p>1. Dried day lily: not more than 4.0 g/kg calculated as residual SO₂ .</p> <p>2. Dried apricot: not more than 2.0 g/kg calculated as residual SO₂.</p> <p>3. Golden raisin: not more than 1.5 g/kg calculated as residual SO₂.</p> <p>4. Gelatin, dried vegetables, other dried fruits: not more than 0.50 g/kg calculated as residual SO₂.</p> <p>5. Molasses, starch syrups: not more than 0.30 g/kg calculated as residual SO₂ .</p> <p>6. Edible cassava starch: not more than 0.15 g/kg calculated as residual SO₂.</p> <p>7. Syrup-preserved fruits, shrimps, shellfish: not more than 0.10 g/kg calculated as residual SO₂ .</p> <p>8. <u>Konjac: the raw materials for non-direct consumption, not more than 0.90 g/kg calculated as residual SO₂; the products for direct</u></p> | |

| | | | |
|-------|----------------------|--|--|
| | | <u>consumption, not more than 0.030 g/kg calculated as residual SO₂.</u> 9. Other processed foods except beverages (fruit juice excluded), wheat flour, and its products (baked products excluded): not more than 0.030 g/kg calculated as residual SO ₂ . | |
| 04007 | Potassium Bisulfite | 1. Dried day lily: not more than 4.0 g/kg calculated as residual SO ₂ . 2. Dried apricot: not more than 2.0 g/kg calculated as residual SO ₂ . 3. Golden raisin: not more than 1.5 g/kg calculated as residual SO ₂ . 4. Gelatin, dried vegetables, other dried fruits: not more than 0.50 g/kg calculated as residual SO ₂ . 5. Molasses, starch syrups: not more than 0.30 g/kg calculated as residual SO ₂ . 6. Edible cassava starch: not more than 0.15 g/kg calculated as residual SO ₂ . 7. Syrup-preserved fruits, shrimps, shellfish: not more than 0.10 g/kg calculated as residual SO ₂ . 8. <u>Konjac: the raw materials for non-direct consumption, not more than 0.90 g/kg calculated as residual SO₂; the products for direct consumption, not more than 0.030 g/kg calculated as residual SO₂.</u> 9. Other processed foods except beverages (fruit juice excluded), wheat flour, and its products (baked products excluded): not more than 0.030 g/kg calculated as residual SO ₂ . | |
| 04008 | Sodium Metabisulfite | 1. Dried day lily: not more than 4.0 g/kg calculated as residual SO ₂ . 2. Dried apricot: not more than 2.0 g/kg calculated as residual SO ₂ . 3. Golden raisin: not more than 1.5 g/kg calculated as residual SO ₂ . 4. Gelatin, dried vegetables, other dried fruits: not | |

| | | | |
|--|--|---|--|
| | | <p>more than 0.50 g/kg calculated as residual SO₂.</p> <p>5. Molasses, starch syrups: not more than 0.30 g/kg calculated as residual SO₂ .</p> <p>6. Edible cassava starch: not more than 0.15 g/kg calculated as residual SO₂.</p> <p>7. Syrup-preserved fruits, shrimps, shellfish: not more than 0.10 g/kg calculated as residual SO₂ .</p> <p>8. <u>Konjac: the raw materials for non-direct consumption, not more than 0.90 g/kg calculated as residual SO₂; the products for direct consumption, not more than 0.030 g/kg calculated as residual SO₂.</u></p> <p>9. Other processed foods except beverages (fruit juice excluded), wheat flour, and its products (baked products excluded): not more than 0.030 g/kg calculated as residual SO₂.</p> | |
|--|--|---|--|